

Technical Information

C44-SATA

SATA/USB Mezzanine Module

Document No. 5400 • Ed. 6 • 8 April 2015



Contents

About	this Manual	3
	Edition History	3
	Related Documents	4
	Nomenclature	4
	Trade Marks	4
	Legal Disclaimer - Liability Exclusion	
	Standards	
Feature	e Summary	6
	Short Description	7
	Block Diagram	
	Top View Component Assembly	
	Front Panel	
Installii	ng and Replacing Components	11
	Before You Begin	11
	Warnings	11
	Caution	11
	Installing the Board Assembly	12
		13
	Removing the Board Assembly	
	EMC Recommendations	14
Techni	cal Reference - Connectors	15
		15
	Please Note	15
		16
	SATA-1 Docking Header	17
	SATA-2 SATA-3 eSATA F/P Connectors	19
	USB F/P Receptacles	20
	Inter-Board Connector	21
	P-MEZ	22
C ch o m		2.4

About this Manual

This manual is a short form description of the technical aspects of the C44-SATA, required for installation and system integration. It is intended for the advanced user only.

Edition History

EKF Document	Ed.	Contents/Changes	Author	Date
Text # 5400 c44_tie.wpd	1	Technical Information C44-SATA English, Preliminary Edition	jj	11 February 2009
	2	General review	jj	17 April 2009
	3	Added photos 2.5-inch SSD	jj	20 April 2009
	4	Added photos C44-SATA	jj	8 March 2010
	5	Added photo PC1-GROOVE with C44-SATA	jj	26 May 2010
	6	Added photos C44-SATA on SC1-ALLEGRO & PC3-ALLEGRO	jj	8 April 2015

Related Documents

Related Documents CPU Cards			
PC1-GROOVE	www.ekf.com/p/pc1/pc1.html		
PC2-LIMBO	www.ekf.com/p/pc2/pc2.html		
PC3-ALLEGRO	www.ekf.com/p/pc3/pc3.html		
PC4-PRESTO	www.ekf.com/p/pc4/pc4.html		
SC1-ALLEGRO	www.ekf.com/s/sc1/sc1.html		
SC2-PRESTO www.ekf.com/s/sc2/sc2.html			

Related Documents Mezzanine Modules and Side Cards			
C40 C45 Series Mezzanine Storage Modules	www.ekf.com/c/ccpu/c4x_mezz_ovw.pdf		
Mezzanine Modules Overview	www.ekf.com/c/ccpu/mezz_ovw.pdf		
The EKF Mezzanine Module Concept	www.ekf.com/c/ccpu/cpci_mezzanine_evolution.pdf		

Nomenclature

Signal names used herein with an attached '#' designate active low lines.

Trade Marks

Some terms used herein are property of their respective owners, e.g.

- ► Intel, Pentium, Celeron, Core 2 Duo, Core i7: ® Intel
- CompactPCI, CompactPCI PlusIO, CompactPCI Serial: ® PICMG
- Windows XP, WEPOS, POSReady, Windows 7: ® Microsoft
- ► EKF, ekf system: ® EKF

EKF does not claim this list to be complete.

Legal Disclaimer - Liability Exclusion

This document has been edited as carefully as possible. We apologize for any potential mistake. Information provided herein is designated exclusively to the proficient user (system integrator, engineer). EKF can accept no responsibility for any damage caused by the use of this manual.

Standards

Specifications/Standards			
SATA	Serial ATA 2.5/2.6 Specification (<u>www.sata-io.org</u>)		
USB	Universal Serial Bus Revision 2.0 specification (<u>www.usb.org/developers</u>)		



C44-SATA on the SC1-ALLEGRO CPU Card

Feature Summary

	Feature Summary
Form Factor	 Proprietary size mezzanine module 146mm x 100mm 4HP (20.32mm) mounting offset with respect to the CPU carrier board Typically delivered as a ready to use assembly unit (including the CPU card) Mounting position right (on top of CPU board) 8HP front panel width in total (C44-SATA version with front I/O connectors)
Host I/F Connector (Bottom Mount to CPU Carrier)	 P-MEZ High Speed mezzanine connector suitable for several EKF CPU carrier boards Connects to the carrier card connector HSE (High Speed Expansion) Nominal headroom 18.7mm (4HP) between carrier board and C44-SATA up to 4 x SATA channels (3 in use on C44-SATA) up to 4 x USB ports (3 in use on C44-SATA) Power sourcing 1.5 A maximum continuous current via 3.3V rail (2 pins) Power sourcing 1.5 A maximum continuous current via 5V rail (2 pins)
SATA Usage	 P-SATA1: horizontal mount docking connector, suitable for on-board 2.5-inch SATA SSD/HDD P-SATA2 and P-SATA3: front panel eSATA connectors
USB Usage	 Up to 3 x USB type A receptacles, front panel I/O Overcurrent protection (electronic power switches 0.5A)
On-Board Storage	 2.5-Inch SATA on-board drive option Solid State Drive (SSD) or Hard Disk Drive (HDD) SSD Single Level Cell (SLC) recommended for optimum reliability SSD Multi Level Cell (MLC) recommended economic solution HDD recommended for maximum storage capacity
Thermal ¹ Conditions Environmental ¹ Conditions	 Operating temperature: -40°C +85°C (depends on SATA drive in use) Storage temperature: -40°C +85°C, max. gradient 5°C/min Humidity 5% 95% RH non condensing Altitude -300m +3000m Shock 15g 0.33ms, 6g 6ms Vibration 1g 5-2000Hz
EC Regulations	 EN55022, EN55024, EN60950-1 (UL60950-1/IEC60950-1) RoHS compliant (2011/65/EU)
MTBF	tbd

Observe degradation of temperature limits and other conditions when SSD or hard disk drive is in use - consult manufacturers data sheet

Not all of the connectors may be present or functional on your actual C44-SATA board; assembly is highly custom specific. Options may be exclusive, i.e. not necessarily concurrently present. Discuss your needs with EKF before ordering.

Short Description

Available as a mezzanine add-on expansion board to several EKF CPU carrier cards, the main purpose of the C44-SATA is to accommodate a 2.5-inch SATA drive, either SSD (Solid State Drive) or HDD (Hard Disk Drive). In addition, the C44-SATA provides SATA and USB connectors for front panel I/O. Since only a few active components are required on the C44-SATA PCB, it is a reasonable low cost system expansion module.

Two eSATA connectors are available via the C44-SATA front panel, for attachment of external drives by e-SATA cable harnesses. In addition, three USB 2.0 receptacles are situated in the front panel, for universal use. All connectors are individually protected from an overcurrent situation by electronic switches.


The C44-SATA accommodates a 2.5-inch SATA drive, attached to the SATA docking header. A solid state drive (SSD) is recommended for fast and rugged operation.

The C44-SATA mounts on top of the CPU carrier board, with a 4HP pitch off-stand, resulting in a 8HP front panel for the entire dual-board assembly. If no front panel I/O would be required (I/O connectors not populated), a 6HP common front panel would be also suitable (7mm mounting height of Intel X25-E or X-25M SATA SSD assumed). For low cost applications, the C44-SATA can be populated with either the internal SATA connector only (pure storage module function), or the front panel connectors only (pure I/O expansion module).




C44-SATA on the PC1-GROOVE CPU Card


Block Diagram



Top View Component Assembly



Front Panel



draft only - do not scale • © EKF • ekf.com

Installing and Replacing Components

Before You Begin

Warnings

The procedures in this chapter assume familiarity with the general terminology associated with industrial electronics and with safety practices and regulatory compliance required for using and modifying electronic equipment. Disconnect any telecommunication links, networks or procedures described in this chapter. Failure links before you open the system or perform or equipment damage. Some parts of the the power switch is in its off state.

the system from its power source and from modems before performing any of the to disconnect power, or telecommunication any procedures can result in personal injury system can continue to operate even though

Caution

Electrostatic discharge (ESD) can damage components. Perform the procedures described in this chapter only at an ESD workstation. If such a station is not available, you can provide some ESD protection by wearing an antistatic wrist strap and attaching it to a metal part of the system chassis or board front panel. Store the board only in its original ESD protected packaging. Retain the original packaging (antistatic bag and

antistatic box) in case of returning the board to EKF for repair.

Installing the Board Assembly

Warning

This procedure should be done only by qualified technical personnel. Disconnect the system from its power source before doing the procedures described here. Failure to disconnect power, or telecommunication links before you open the system or perform any procedures can result in personal injury or equipment damage.

Typically you will perform the following steps:

- Switch off the system, remove the AC power cord
- Attach your antistatic wrist strap to a metallic part of the system



- Remove the board packaging, be sure to touch the board only at the front panel
- Identify the related CompactPCI slot (peripheral slot for I/O boards, system slot for CPU boards, with the system slot typically most right or most left to the backplane)
- Insert card carefully (be sure not to damage components mounted on the bottom side of the board by scratching neighboured front panels)
- A card with onboard connectors requires attachment of associated cabling now
- Lock the ejector lever, fix screws at the front panel (top/bottom)
- Retain original packaging in case of return

Removing the Board Assembly

Warning

This procedure should be done only by qualified technical personnel. Disconnect the system from its power source before doing the procedures described here. Failure to disconnect power, or telecommunication links before you open the system or perform any procedures can result in personal injury or equipment damage.

Typically you will perform the following steps:

- Switch off the system, remove the AC power cord
- Attach your antistatic wrist strap to a metallic part of the system



- Identify the board, be sure to touch the board only at the front panel
- unfasten both front panel screws (top/bottom), unlock the ejector lever
- Remove any onboard cabling assembly
- Activate the ejector lever
- Remove the card carefully (be sure not to damage components mounted on the bottom side of the board by scratching neighboured front panels)
- Store board in the original packaging, do not touch any components, hold the board at the front panel only

Warning





Do not expose the card to fire. Battery cells and other components could explode and cause personal injury.

EMC Recommendations



In order to comply with the CE regulations for EMC, it is mandatory to observe the following rules:

- The chassis or rack including other boards in use must comply entirely with CE
- Close all board slots not in use with a blind front panel
- Front panels must be fastened by built-in screws
- Cover any unused front panel mounted connector with a shielding cap
- External communications cable assemblies must be shielded (shield connected only at one end of the cable)
- Use ferrite beads for cabling wherever appropriate
- Some connectors may require additional isolating parts

Reccomended Accessories

Blind CPCI Front Panels	EKF Elektronik	Widths currently available (1HP=5.08mm): with handle 4HP/8HP without handle 2HP/4HP/8HP/10HP/12HP
Ferrit Bead Filters	ARP Datacom, 63115 Dietzenbach	Ordering No. 102 820 (cable diameter 6.5mm) 102 821 (cable diameter 10.0mm) 102 822 (cable diameter 13.0mm)
Metal Shielding Caps	Conec-Polytronic, 59557 Lippstadt	Ordering No. CDFA 09 165 X 13129 X (DB9) CDSFA 15 165 X 12979 X (DB15) CDSFA 25 165 X 12989 X (DB25)

Technical Reference - Connectors

Caution

Some of the connectors may provide operating voltage (e.g. +12V, +5V and +3.3V) to devices inside the system chassis, such as internal peripherals. Not all of these connectors are overcurrent protected. Do not use these connectors for powering devices external to the computer chassis. A fault in the load presented by the external devices could cause damage to the board, the interconnecting cable and the external devices themselves.

Please Note


The C44-SATA mezzanine module may be equipped with several connectors for system internal and front panel (external) usage. Not all of these connectors may be present on a particular board. Be sure to specify your individual needs when ordering the C44-SATA board. Characteristic features and the pin assignments of each connector are described on the following pages.



C44-SATA Top View

I/O Connectors

The C44-SATA is typically provided with several front panel I/O connectors, and an on-board SATA docking header.



I/O Connectors			
SATA-1	SATA docking connector suitable for 2.5-inch on-board SATA drive - ICH/PCH Southbridge		
SATA-2/SATA3	eSATA front panel jacks suitable for external eSATA devices - JMB362 RAID or non RAID		
USB	3 x Type A front panel USB connectors for external USB equipment - ICH/PCH Southbridge		

SATA-1 Docking Header

As an option, the C44-SATA can be equipped with an on-board 2.5-inch SATA drive, either hard disk (HDD), or silicon state (SSD). The 22-position SATA docking header SATA-1 allows for direct attachment of any drive, without cable assembly.

Signal designations RX/TX shown here with respect to the SATA host controller (ICH/PCH Southbridge on the CPU carrier board).

SATA-1 • S	SATA Docking Connector 15+7 • :	256.022.10.01
	S1	GND
	S2	TX+ SATA01
	S3	TX- SATA01
	S4	GND
_	S5	RX- SATA01
	\$6	RX+ SATA01
ekf.com	S7	GND
•		
TA Host Receptacle • © EKF	P1	+3.3V
ptacle	P2	+3.3V
st Rece	P3	+3.3V
ATA HO	P4	GND
	P5	GND
2.10.0	P6	GND
256.02	Р7	+5V
Part No. 256,022.1	P8	+5V
	P9	+5V
	P10	GND
	P11	RSVD
	P12	GND
	P13	+12V
	P14	+12V
	P15	+12V

Despite the SATA connector is also provided with pins assigned to +12V and +3.3V, only +5V is required for typical 2.5-inch SATA drives. As a C44-SATA stuffing option, +5V can be derived either from the carrier board +5VS (switched power well) or +5VA (always on).



SATA Solid State Drive • 7mm Height Profile



Standard SATA Drive Connector

SATA-2 SATA-3 eSATA F/P Connectors

The C44-SATA can be optionally equipped with two front panel eSATA signal headers. TX/RX designation of signals are shown with respect to the SATA controller JMB362 on the CPU carrier board. Shielded external eSATA cable assemblies are recommended for reliable industrial usage.

2 x F/P eSATA	#256.007.10	.10	Receptacles
8		1	GND
ekf.o.		2	SATA_TX+
eptac EKF		3	SATA_TX-
eSATA Receptacle 256.007.10.10 • © EKF • ekf.com		4	GND
eSAT.		5	SATA_RX-
256.00		6	SATA_RX+
		7	GND

Remember that SATA is a high speed data link - the typical external cable length should not exceed 2m. Chose the minimum distance possible for locating the external SATA device, and use high quality cable assemblies for reliable industrial operation, such as the Molex 68782 series (EKF part no. 256.007.82.10 and 256.007.82.20). For experimental purposes, there are also adapter cable assemblies available from eSATA to SATA (EKF part no. 256.007.81.10).

Compared to internal SATA cabling, the eSATA front panel connectors offer superior shielding and provide EMI protection. eSATA connectors and cable harnesses used or supplied by EKF adhere to the design specifications recommended by the Serial ATA International Organization (SATA-IO).

With a CCM-BOOGIE CPU carrier board, JMicron JMB36 drivers must be installed before using the front panel connectors, either RAID drivers or non-RAID drivers: ftp://driver.jmicron.com.tw/jmb36x/

USB F/P Receptacles


The host CPU board is equipped with an ICHx (Input/Output Controller Hub), which incorporates a number of USB 1.1/2.0 compliant ports. Four of the USB interfaces are passed to the C44-SATA through the inter-board connector J-MEZ, ending up in the front panel USB connectors. Overcurrent protection is provided by electronic switches individually for each USB receptacle.

4 x USB Receptacle 270.20.04.1				
• 	1	+5V_USB 0.5A 1)		
1 4 USB Receptacle	2	DATA-		
	3	DATA+		
© EKF • ekf.com 270.20.04.1	4	GND		

1) Electronic Power Switch

Inter-Board Connector

The C44-SATA is equipped with a high speed mezzanine connector P-MEZ, mating with EKF CPU carrier boards. The inter-board connector is situated at the bottom of the C44-SATA and establishes the data path and power link to the carrier board connector HSE. Since the C44-SATA comes typically mounted as a unit together with the CPU carrier board, there is normally no need for the user to get access to the inter-board connector. It is described here as a reference only and for better understanding of the C44-SATA



P-MEZ


The connector P-MEZ is a 10mm nominal height shielded male pin header. Its counterpart on the CPU carrier board is a 8mm height receptacle (J-HSE), for a nominal headroom of 18.72mm between the two boards (which is equivalent to 4HP=20.32mm board to board CL).



- 1) 2) Switched voltages from carrier board, according to CPU sleep state S0
- 3) This SATA channel has been derived from ICH/PCH southbridge
- 4) These SATA channels are derived from the additional secondary PCIe SATA controller, RAID 0/1/10 capable

Notes:

- ► All s# connector pins (shield) are tied to GND
- ► All TX/RX designations with respect to SATA controller (TX controller = RX drive, RX controller = TX drive)



C44-SATA Bottom View

Schematics

Complete circuit diagrams for this product are available for customers on request. Signing of a non-disclosure agreement would be needed. Please contact sales@ekf.de for details.

EKF reserves the right to refuse distribution of confidential information material for any reason that EKF may consider substantial.



C44-SATA on PC3-ALLEGRO CPU Carrier Card

Industrial Computers Made in Germany boards. systems. solutions.



